## DIRECT OBSERVATION OF THE $c^3\Sigma^+_u$ STATE OF $\mathrm{C}_2$

DAMIAN L. KOKKIN, NEIL J. REILLY, JENNA A. JOESTER, <u>MASAKAZU NAKAJIMA</u>, KLAAS NAUTA, SCOTT H. KABLE, and TIMOTHY W. SCHMIDT, *School of Chemistry, University of Sydney, NSW 2006, Australia.* 

The  $d^3\Pi_g - c^3\Sigma_u^+$  system of dicarbon was observed in a discharged supersonic jet of  $C_2H_2$ .<sup>*a*</sup> A spectral survey was carried out based on the result of high-level *ab initio* calculation.<sup>*b*</sup> LIF excitation spectra of the band system were recorded by detecting fluorescence of the Swan system  $(d^3\Pi_g - a^3\Pi_u)$ . Several molecular constants of the  $c^3\Sigma_u^+$  state were experimentally determined from the rotationally resolved spectra. Characterization of the  $c^3\Sigma_u^+$  state of  $C_2$  is of importance to astrophysical models of the species.

<sup>&</sup>lt;sup>a</sup>D. L. Kokkin et al., J. Chem. Phys. <u>125</u>, 231101 (2006).

<sup>&</sup>lt;sup>b</sup>D. L. Kokkin et al., J. Chem. Phys. <u>126</u>, 084302 (2007).